

001 14 02 ...

UNIVERSAL ARBORS


For milling cutters with longitudinal or tenon drive DIN 138



ALTERNATIVE SOLUTIONS 001 14 ³³/₃₅

003 14 54 + 001 54 0³/₅

DIN 69882-2






Runout between outer taper and $D_1 \leq 0,006$

D HSK-A	D ₁ h6	L	L ₁	L ₂	D ₂	COD.	€
32	16	55	17	27	32	001 14 02 01 30	
32	22	55	19	31	40	001 14 02 01 40	
32	27	65	21	33	48	001 14 02 01 50	
40	16	50	17	27	32	001 14 02 02 30	
40	22	55	19	31	40	001 14 02 02 40	
40	27	65	21	33	48	001 14 02 02 50	
50	16	50	17	27	32	001 14 02 03 30	
50	22	50	19	31	40	001 14 02 03 40	
50	27	65	21	33	48	001 14 02 03 50	
50	32	65	24	38	58	001 14 02 03 60	
63	16	60	17	27	32	001 14 02 04 30	
63	22	60	19	31	40	001 14 02 04 40	
63	27	60	21	33	48	001 14 02 04 50	
63	32	60	24	38	58	001 14 02 04 60	
63	40	70	27	41	70	001 14 02 04 70	
80	16	60	17	27	32	001 14 02 05 30	
80	22	60	19	31	40	001 14 02 05 40	
80	27	60	21	33	48	001 14 02 05 50	
80	32	60	24	38	58	001 14 02 05 60	
80	40	70	27	41	70	001 14 02 05 70	
100	16	60	17	27	32	001 14 02 06 30	
100	22	60	19	31	40	001 14 02 06 40	
100	27	60	21	33	48	001 14 02 06 50	
100	32	60	24	38	58	001 14 02 06 60	
100	40	70	27	41	70	001 14 02 06 70	
100	50	80	30	46	90	001 14 02 06 80	

D₁

16	001 99 02 01 30	001 99 01 22 30	001 99 01 12 30	001 99 03 02 30	001 99 01 01 30	001 99 04 01 30
22	001 99 02 01 40	001 99 01 22 40	001 99 01 12 40	001 99 03 02 40	001 99 01 01 40	001 99 04 01 40
27	001 99 02 01 50	001 99 01 22 50	001 99 01 12 50	001 99 03 02 50	001 99 01 01 50	001 99 04 01 50
32	001 99 02 01 60	001 99 01 22 60	001 99 01 12 60	001 99 03 02 60	001 99 01 01 60	001 99 04 01 60
40	001 99 02 01 70	001 99 01 22 70	001 99 01 12 70	001 99 03 02 70	001 99 01 01 70	001 99 04 01 70
50	001 99 02 01 80	001 99 01 22 80	001 99 01 12 80	001 99 03 02 80	001 99 01 01 80	001 99 04 01 80



OPTIONALS